



100 Tonne 150T High Tonnage Hydraulic Mining Jack

DESCRIPTION

Extremely easy to manoeuvre and position

The high tonnage jacks are strong and versatile yet extremely easy to maneuver and position. Securing extremely stable heavy duty lifting on any challenging terrain combined with a high level of safety and minimal strain on the operators back.

Due to our innovative chassis construction jack repair maintenance and even wheel changing can be made onsite keeping the jack in a top working condition.

We do not compromise and trust that our high tonnage hydraulic jacks will facilitate reductions in down time and set new standards for removing, disassembling and repairing machinery in all off-highway heavy duty industries.

About Levanta's high tonnage hydraulic jacks

Our high tonnage hydraulic jacks are designed to meet or exceed all safety demands in the mining and constructions industries.

Optimum operator safety is ensured via a wide range of safety measures, a.o. safety valve to prevent overload, load lock or any failure due to hydraulic fluid loss, locking rings and a deadman's control on the handle.


A wide range of accessories combined with an outstanding durability in all operating conditions our high tonnage hydraulic jacks are designed to meet all needs.

Hydraulic Jack Facts

High tonnage hydraulic jacks for the mining and construction industries.

- Designed for off-road maintenance on heavy duty industrial machinery
- All steel, heavy duty chassis build to fit harsh environment
- Large rubber tires allow easy positioning on challenging surfaces
- Innovative chassis construction facilitates jack repair, even wheel changing on site
- High ground clearance for clearing rail and rough terrain
- Multiple position handle for easy tilt back and ergonomic moving
- Safety valve prevents overload, load lock or any failure due to hydraulic fluid loss
- Handle with dead-man's control for optimum safety during lifting and lowering
- 2 lifting eyes and tilt-back handle position for easy jack handling and transport
- Can be supplied with extensions and locking rings (not standard)



Specifications/Images subject to change without prior notice. Images are for illustration purposes only. To validate warranty, proof of a valid maintenance contract will be required. Product of Denmark 



100 Tonne 100T High Tonnage Hydraulic Mining Jack

DESCRIPTION



Tech Specs	100-1 Jack	100-1H Jack
Capacity	100 Tonne	100 Tonne
Min. Height	435 mm	700 mm
Max. Height	570 mm	1,100 mm
Frame Length	1,550 mm	1,675 mm
Handle Length	1,300 mm	1,300 mm
Width	350 mm	570 mm
Width (with wheels)	465 mm	685 mm
Air supply	10 bar	10 bar
Air Consumption	1,200 l/min	1,200 l/min
Weight	332 kg	476 kg
Ground Clearance	40 mm	65 mm

PRODUCT OF DENMARK



Specifications/images subject to change without prior notice. Images are for illustration purposes only. To validate warranty, proof of a valid maintenance contract will be required. Product of Denmark



p.1300 577 541

e. sales@levanta.com.au

www.levanta.com.au