

150 Tonne

150T High Tonnage Hydraulic Mining Jack

DESCRIPTION

Extremely easy to manoeuvre and position

These high tonnage hydraulic jacks are strong and versatile but yet extremely easy to manoeuvre and position. Securing extremely stable heavy duty lifting on any challenging terrain combined with a high level of safety and minimal strain on the operator's back.

Due to our innovative chassis construction jack repair maintenance and even wheel changing can be made onsite keeping the jack in a top working condition.

We do not compromise and trust that our high tonnage hydraulic jacks will facilitate reductions in down time and set new standards for removing, disassembling and repairing machinery in all off highway heavy duty industries.

High Tonnage Hydraulic Jacks

Our high tonnage hydraulic jacks are designed to meet or exceed all safety demands in the mining and constructions industries.

Optimum operator safety is ensured via a wide range of safety measures, a.o. safety valve to prevent overload, load lock or any failure due to hydraulic fluid loss, locking rings and a deadman's control on the handle.

A wide range of accessories combined with an outstanding durability in all operating conditions our high tonnage hydraulic jacks are designed to meet all needs.

Hydraulic Jack Facts

High tonnage hydraulic jacks for the mining and construction industries.

- · Designed for off-road maintenance on heavy duty industrial machinery
- · All steel, heavy duty chassis build to fit harsh environment
- Large rubber tires allow easy positioning on challenging surfaces
- · Innovative chassis construction facilitates jack repair, even wheel changing on site
- High ground clearance for clearing rail and rough terrain
- · Multiple position handle for easy tilt back and ergonomic moving
- Safety valve prevents overload, load lock or any failure due to hydraulic fluid loss
- Handle with dead-man's control for optimum safety during lifting and lowering
- · 2 lifting eyes and tilt-back handle position for easy jack handling and transport
- Can be supplied with extensions and locking rings (not standard)

















150 Tonne

150T High Tonnage Hydraulic Mining Jack

DESCRIPTION







Tech Specs	150-1 Jack	150-1H Jack	
Capacity	150 Tonne	150 Tonne	
Min. Height	720 mm	970 mm	
Max. Height	1,120 mm	1,620 mm	
Frame Length	1,735 mm	1,735 mm	
Handle Length	1,360 mm	1,360 mm	
Width	575 mm	575 mm	
Width (with wheels)	715 mm	715 mm	
Air supply	8 -12 bar	8 - 12 bar	
Weight	510 kg	575 kg	
Ground Clearance	95 mm	95 mm	











Social and the change without price parties. Improve the formula of the change without price parties Improve only To collect a property of a called maintaining a partiest to the change without price parties. Improve only To collect a property of a called maintaining a partiest will be sequenced.



